

Molecular Immunology

**LIST OF CONTENTS AND
AUTHOR INDEX
FOR VOLUME 28, 1991**



Pergamon Press

Oxford · New York · Seoul · Tokyo

Molecular Immunology

Board of Regional Editors

Prof. MICHEL FOUGEREAU (Chairman of the Board), *Centre d'Immunologie de Marseille-Luminy, Case 906, 13288 Marseille Cedex 9, France.*

Dr STEVEN DOWER, *Immunex Corporation, 51 University Street, Seattle, WA 98101, U.S.A.*

Dr JANOS GERGELY, *Department of Immunology, L. Eötvös University, Javorka S.u. 14, Göd 2131, Hungary.*

Dr DAVID HOLOWKA, *Department of Chemistry, Cornell University, Ithaca, NY 14853, U.S.A.*

Dr ROALD S. NEZLIN, *Department of Chemical Immunology, The Weizmann Institute of Sciences, Rehovot 76100, Israel.*

Dr TOMIO TADA, *Department of Immunology, Faculty of Medicine, University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo, Japan.*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

G. I. ABELEV
Moscow, U.S.S.R.

B. H. BARBER
Toronto, Canada

DAVID H. BING
Boston, MA, U.S.A.

GUY BORDENAVE
Paris, France

C. A. BONA
New York, NY, U.S.A.

DENNIS R. BURTON
Sheffield, U.K.

L. WILLIAM CLEM
Jackson, MI, U.S.A.

JOHN E. COLIGAN
Bethesda, MD, U.S.A.

MAURICE COLOMB
Grenoble, France

D. H. CONRAD
Richmond, VA, U.S.A.

GIAMPIETRO CORRADIN
Lausanne, Switzerland

SUSAN E. CULLEN
St Louis, MO, U.S.A.

JOSEPH M. DAVIE
Skokie, IL, U.S.A.

M. P. DIERICH
Innsbruck, Austria

S. ELSAYED
Bergen, Norway

PETER L. EY
Adelaide, Australia

DOUGLAS FEARON
Baltimore, MD, U.S.A.

Z. FISHELSON
Rehovot, Israel

R. FRADE
Paris, France

FRANTISEK FRANEK
Praha, Czechoslovakia

ARNOLD FROESE
Winnipeg, Canada

C. GRANIER
Marseille, France

SEN-ITIROH HAKOMORI
Seattle, WA, U.S.A.

JOHN K. INMAN
Bethesda, MD, U.S.A.

DAVID ISENMAN
Toronto, Canada

M. KAARTINEN
Helsinki, Finland

JEAN-PIERRE KINET
Bethesda, MD, U.S.A.

E. KLEIN
Stockholm, Sweden

MICHEL KLEIN
Toronto, Canada

D. M. KRANZ
Urbana, IL, U.S.A.

M. P. LEFRANC
Montpellier, France

WARREN J. LEONARD
Bethesda, MD, U.S.A.

JOZEF LISOWSKI
Wroclaw, Poland

HENNING LOWENSTEIN
Horsholm, Denmark

J. P. MACH
Epalinges, Switzerland

DAVID G. MARSH
Baltimore, MD, U.S.A.

SHERIE L. MORRISON
Los Angeles, CA, U.S.A.

JIRI NOVOTNY
Princeton, NJ, U.S.A.

EDUARDO A. PADLAN
Bethesda, MD, U.S.A.

ISRAEL PECHT
Rehovot, Israel

CLAUDE DE PREVAL
Toulouse, France

JEAN-LOUIS PREUD'HOMME
Poitiers, France

ROBERT L. RAISON
Sydney, Australia

EVA RAJNAVOLGYI
Göd, Hungary

J. V. RAVETCH
New York, NJ, U.S.A.

WALTER F. RIESEN
St Gallen, Switzerland

KENNETH H. ROUX
Tallahassee, FL, U.S.A.

D. J. ROWLANDS
London, U.K.

CATHERINE SAUTES
Paris, France

VERNE N. SCHUMAKER
Los Angeles, CA, U.S.A.

DAVID M. SEGAL
Bethesda, MD, U.S.A.

B. DAVID STOLLAR
Boston, MA, U.S.A.

JACQUES THEZE
Paris, France

MARC VAN REGENMORTEL
Strasbourg, France

EDWARD W. VOSS, JR
Urbana, IL, U.S.A.

I. YAHARA
Tokyo, Japan

JUNJI YODOI
Kyoto, Japan

D. C. YUAN
Dallas, TX, U.S.A.

Publishing and Advertising Offices: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, U.K., and Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, NY 10523, U.S.A. Published monthly. Annual Institutional Subscription Rate (1992): £600.00 (U.S.\$960.00). Two-year Institutional Rate (1992/93): £1140.00 (U.S.\$1824.00). Sterling prices are definitive. U.S. dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Personal subscription rates for those whose library subscribes at the regular rate are available on request. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan are available on request. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, U.K.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon Press offices.

Copyright © 1991 Pergamon Press plc

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature, and translation. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A. The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying, beyond that permitted by Section 107 or 108 of the United States Copyright Law, is paid. The appropriate remittance of \$3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 0161-5890/91 \$3.00 + 0.00

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

©TM The paper used in this publication meets the minimum requirements of American National Standard for Information Sciences—Permanence of Paper for Printed Library Materials, ANSI Z39.48-1984.

CONTENTS OF VOLUME 28

JANUARY/FEBRUARY

i Editorial

- | | |
|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| K. Kuwano, V. E. Reyes,
R. E. Humphreys and F. A. Ennis | 1 Recognition of disparate HA and NS1 peptides by an H-2K ^d -restricted, influenza specific CTL clone |
| M. Lantz, L. Lindvall, P. Pantazis
and I. Olsson | 9 Lymphotoxin produced by human B- and T-cell lines appears in two distinct forms |
| C. S. Schasteen, R. P. Levine,
S. A. McLafferty, R. F. Finn,
L. D. Bullock, J. C. Mayden
and G. I. Glover | 17 Synthetic peptide inhibitors of complement serine proteases—III. Significant increase in inhibitor potency provides further support for the functional equivalence hypothesis |
| W. D. Bedzyk and E. W. Voss, Jr | 27 Active site contributions to fluorescein binding determined by <i>in vitro</i> heavy and light chain reassociations |
| B. J. Bricker, L. B. Tabatabai
and J. E. Mayfield | 35 Immunoglobulin G binding activity of <i>Brucella abortus</i> |
| R. Aston, D. A. Rathjen, A. T. Holder,
V. Bender, T. E. Trigg, K. Cowan,
J. A. Edwards and W. B. Cowden | 41 Antigenic structure of bovine growth hormone: location of a growth enhancing region |
| T. Ota, S. Higashi, H. Suzuki and S. Eto | 51 Enzyme linked immunosorbent assay (ELISA) for human IgG (Gm) allotype determination |
| M. F. Wilkinson, A. M. Fong,
H. Huynh, E. F. Hays
and C. L. MacLeod | 57 A model system for T-lymphocyte differentiation: regulation of CD4 and CD8 gene expression in SL12.4 T-lymphoma cell clones |
| M. Mariani, M. Camagna, L. Tarditi
and E. Seccamani | 69 A new enzymatic method to obtain high-yield F(ab) ₂ suitable for clinical use from mouse IgG1 |
| D. A. Rathjen, K. Cowan,
L. J. Furphy and R. Aston | 79 Antigenic structure of human tumour necrosis factor: recognition of distinct regions of TNF α by different tumour cell receptors |
| P. Froussard, D. Lj. Jankovic,
P. Chastagner and J. Theze | 87 Induction of mouse p55 interleukin-2 receptor gene expression by IL-2 and IL-4 and characterization of its transcription initiation sites |
| Z. Wiczorek, W. Voelter,
E. Nawrocka-Bolewska, M. Zimecki
and I. Z. Siemion | 95 The unusually high immunomodulatory activity of thymopentin analogue Pro ⁵ -TP-5 |
| C. A. Bergmann, B. J. Landmeier and
D. R. Kaplan | 99 Phase separation analysis of recombinant interleukin 2 |
| K. Honma, M. Nakamura and
Y. Ishikawa | 107 Acetylsalicylate-human serum albumin interaction as studied by NMR spectroscopy—antigenicity-producing mechanism of acetylsalicylic acid |
| M. O. Labeta, R. Landmann,
J. P. Obrecht and R. Obrist | 115 Human B cells express membrane-bound and soluble forms of the CD14 myeloid antigen |
| J.-A. Haefliger, M. C. Peitsch,
D. E. Jenne and J. Tschopp | 123 Structural and functional characterization of complement C8 γ , a member of the lipocalin protein family |
| M. A. Marin, G. Fontán and
M. López-Trascasa | 133 Interaction of C3 nephritic factor (NEF) with erythrocyte membranes complement-independent binding to sheep and patients' erythrocytes |
| J. Xiang, J. Roder, Z. Pan, C. Roifman
and N. Hozumi | 141 Modification in framework region I results in a decreased affinity of chimeric anti-TAG72 antibody |

M. Kutubuddin, A. S. Kolaskar, S. Galande, M. M. Gore, S. N. Ghosh and K. Banerjee	149	Recognition of helper T cell epitopes in envelope (E) glycoprotein of Japanese encephalitis, West Nile and Dengue viruses
A. N. J. McKenzie, B. Ely and C. J. Sanderson	155	Mutated interleukin-5 monomers are biologically inactive
F. Gerosa, M. Tommasi, M. Scardoni, R. S. Accolla, T. Pozzan, M. Libonati, G. Tridente and G. Carra	159	Structural analysis of the CD69 early activation antigen by two monoclonal antibodies directed to different epitopes
F. Polo, R. Ayuso and J. Carreira	169	Studies on the relationship between structure and IgE-binding ability of <i>Parietaria judaica</i> allergen I
K. G. Welinder, H. M. Jespersen, J. Walther-Rasmussen and K. Skjød	177	Amino acid sequences and structures of chicken and turkey beta2-microglobulin
E. Petersen, M. Borre and J. Vuust	183	<i>Preliminary Communications</i> Allele specific analysis of <i>Plasmodium falciparum</i> genes by the polymerase chain reaction
N. Pineau, P. Aucouturier, J. L. Preud'homme, K. Hagiwara and K. Kobayashi	185	Structural and functional variability of jacalin
O. G. Segurado, P. Iglesias-Casarrubios, J. Martinez-Laso, A. Corell, J. M. Martin-Villa and A. Arnaiz-Villena	189	Autoimmunogenic HLA-DRB1*0301 allele (DR3) may be distinguished at the DRB1 non-coding regions of HLA-B8, DR3, Dw24 and B18, DR3, Dw25 haplotypes
K. E. Stein and S. Epstein	193	<i>Letter to the Editor</i>
	195	<i>Book Reviews</i>
	197	<i>Announcement</i>

MARCH

**Proceedings of the Vaccine Symposium Celebrating
the 75th Anniversary of Connaught Laboratories
at the University of Toronto**

Guest Editor: Michel H. Klein

Contents

M. H. Klein	199	Introduction
J. Novotny	201	Protein antigenicity: a thermodynamic approach
R. Arnon	209	Synthetic peptides as the basis for vaccine design
J. A. Berzofsky	217	Mechanisms of T cell recognition with application to vaccine design
G. Ada	225	Strategies for exploiting the immune system in the design of vaccines
J. R. Haynes, Fei-Long Yao, Jie Ma, Shi Xian Cao and M. H. Klein	231	Strategy for developing a genetically-engineered whole-virus vaccine against HIV
S. Loosmore, S. Cockle, G. Zealey, H. Boux, K. Phillips, R. Fahim and M. Klein	235	Detoxification of pertussis toxin by site-directed mutagenesis: a review of Connaught strategy to develop a recombinant pertussis vaccine
P. Chong, M. Sydor, E. Wu, G. Zobrist, H. Boux and M. Klein	239	Structural and functional analysis of the S1 subunit of pertussis toxin using synthetic peptides

- S. A. Halperin, T. B. Issekutz and A. Kasina 247 Epitope specificity of three anti-pertussis toxin monoclonal antibodies with dissimilar effects in assays of toxin neutralizing activity
- L. U. L. Tan, R. E. F. Fahim, G. Jackson, K. Phillips, P. Wah, D. Alkema, G. Zobrist, A. Herbert, L. Boux, P. Chong, N. Harjee, M. Klein and J. Vose 251 A novel process for preparing an acellular pertussis vaccine composed of non-pyrogenic toxoids of pertussis toxin and filamentous hemagglutinin
- R. Munson, Jr, S. Grass and C. Bailey 257 Comparison of the structure of the genes for outer membrane proteins P1 and P2 of *Haemophilus influenzae* type b
- G. Carayanniotis, D. L. Skea, M. A. Luscher and B. H. Barber 261 Adjuvant-independent immunization by immunotargeting antigens to MHC and non-MHC determinants *in vivo*
- M. J. Redmond, H. Bielefeldt Ohmann, H. P. A. Hughes, M. Sabara, P. J. Frenchick, S. K. Attah Poku, M. Khalid Ijaz, M. D. Parker, B. Laarveld and L. A. Babiuk 269 Rotavirus particles function as immunological carriers for the delivery of peptides from infectious agents and endogenous proteins
- A. C. Allison and N. E. Byars 279 Immunological adjuvants: desirable properties and side-effects
- K. Lovgren and B. Morein 285 The ISCOM: an antigen delivery system with built-in adjuvant
- J. H. Eldridge, J. K. Staas, J. A. Meulbroek, J. R. McGhee, T. R. Tice and R. M. Gilley 287 Biodegradable microspheres as a vaccine delivery system
- J. W. Schrader 295 Peptide regulatory factors and optimization of vaccines

APRIL/MAY

- O. A. Duffort, J. Carreira, G. Nitti, F. Polo and M. Lombardero 301 Studies on the biochemical structure of the major cat allergen *Felis domesticus* I
- I. A. Pikuleva, I. V. Turko, T. B. Adamovich and V. L. Chashchin 311 Chemical modification of rabbit IgG with *N*-dansyl-aziridine. Investigation of the properties of dansylated antibodies
- P. H. Ehrlich, Z. A. Moustafa and L. Östberg 319 Nucleotide sequence of chimpanzee F_c and hinge regions
- M. Teodorescu, M. McAfee, J. L. Skosey, J. Wallman, A. Shaw and W. C. Hanly 323 Covalent disulfide binding of human IL-1 β to α_2 -macroglobulin: inhibition by D-penicillamine
- G. Piccinini, E. Cardellini, G. Reimer, F. C. Arnett and E. Durban 333 An antigenic region of topoisomerase I in DNA polymerase chain reaction-generated fragments recognized by autoantibodies of scleroderma patients
- V. E. Reyes, Shan Lu and R. E. Humphreys 341 Binding of radioiodinated influenza virus peptides to class I MHC molecules and to other cellular proteins as analyzed by gel filtration and photoaffinity labeling
- B. Åkerström, A. Lindqvist and G. Lindahl 349 Binding properties of protein ARP, a bacterial IgA-receptor
- T. Imamichi and J. Koyama 359 Different abilities of two types of Fc γ receptor on guinea-pig macrophages to trigger the phosphatidylinositol turnover

T. Imamichi and J. Koyama	367	Functions of two types of Fc γ receptor on guinea-pig macrophages in immune complex-induced arachidonic acid release
T. Seya, M. Okada, K. Hazeki and S. Nagasawa	375	Regulatory system of guinea-pig complement C3b: tests for compatibility of guinea-pig factors H and I with human factors
M. Ornatowska and J. A. Glasel	383	Direct production of Fv fragments from a family of monoclonal IgGs papain digestion
O. H. Hashim, Chee Liang Ng, G. S. Gendeh and M. I. Nik Jaafar	393	IgA binding lectins isolated from distinct <i>Artocarpus</i> species demonstrate differential specificity
Cheung Cho Yue	399	Novel putative protein kinase clones from a rat large granular lymphocyte tumor cell line
M. J. Deards and A. E. Montague	409	Purification and characterisation of a major allergen of <i>Alternaria alternata</i>
V. Malard, S. Amigorena, B. Bauvois, M. Daeron, M.-A. Cousin, D. Lando, W. H. Fridman and C. Sautes	417	21.1.1, a novel activation marker of T and B cells
J. Nunes, M. Bagnasco, M. Lopez, C. Lipcey, C. Mawas and D. Olive	427	Dissociation between early and late events in T cell activation mediated through CD28 surface molecule
K. M. Mohler and L. D. Butler	437	Quantitation of cytokine mRNA levels utilizing the reverse transcriptase-polymerase chain reaction following primary antigen-specific sensitization <i>in vivo</i> —I. Verification of linearity, reproducibility and specificity
M. R. Wilson, D. Middleton and G. W. Warr	449	Immunoglobulin V $_H$ genes of the goldfish, <i>Carassius auratus</i> : a re-examination
L. M. Kraus, S. Miyamura, B. R. Pecha and A. P. Kraus, Jr	459	Carbamoylation of hemoglobin in uremic patients determined by antibody specific for homocitrulline (carbamoylated ϵ -N-lysine)
R. G. Washburn, B. J. Bryant-Varela, N. C. Julian and J. E. Bennett	465	Differences in <i>Cryptococcus neoformans</i> capsular polysaccharide structure influence assembly of alternative complement pathway C3 convertase on fungal surfaces
A. A. Karande, N. K. Velu and P. R. Adiga	471	A monoclonal antibody recognizing the C-terminal region of chicken egg white riboflavin carrier protein terminates early pregnancy in mice
J. Hampl, G. Gradehandt, D. Plachov, H.-G. Gattner, H. Kalbacher, W. Voelter, M. Meyer-Delius and E. Rude	479	Presentation of insulin and insulin A chain peptides to mouse T cells: involvement of cysteine residues
E. A. Padlan	489	A possible procedure for reducing the immunogenicity of antibody variable domains while preserving their ligand-binding properties
K. E. LaPan, D. G. Klapper and J. A. Frelinger	499	Production and characterization of a peptide specific, anti-major histocompatibility complex Class II, monoclonal antibody
V. Perfetti, P. Borden, Mi-Hua Tao, S. L. Morrison and E. A. Kabat	505	Specificity and variable region cDNA sequence of an isogeneic monoclonal antiidiotypic to an anti- α (1 \rightarrow 6)dextran
M.-A. Petit, N. Strick, S. Dubanchet, F. Capel and A. R. Neurath	517	Inhibitory activity of monoclonal antibody F35.25 on the interaction between hepatocytes (HepG2 cells) and preS1-specific ligands
M.-P. Larvor, L. Djavadi-Ohanian, B. Friguet, F. Baleux and M. E. Goldberg	523	Peptide/antibody recognition: synthetic peptides derived from the <i>E. coli</i> tryptophan synthase β_2 subunit interact with high affinity with an anti- β_2 monoclonal antibody

A. Corell, J. M. Martin-Villa,
P. Morales, M. D. de Juan, P. Varela,
J. L. Vicario, J. Martinez-Laso and
A. Arnaiz Villena

Z. Fishelson

M. N. ElMasry, R. G. Cook and
R. R. Rich

R. P. Schall and C. A. Dahl

533 Exon-2 nucleotide sequences, polymorphism and
haplotype distribution of a new HLA-DRB gene:
HLA-DRB σ

Review Article

545 Complement C3: a molecular mosaic of binding sites

Preliminary Communications

553 Distinct biochemical features of interferon gamma
receptors on human T lymphocytes

559 A new mRNA control for lymphocytic activation of NK
and T cells

561 *Book Reviews*

565 *Announcement*

JUNE

P. Koolwijk, J. H. A. Boot,
R. Griep and B. J. E. G. Bast

G. Beck and G. S. Habicht

D. MacGlashan, Jr

K. Nelms, B. G. Van Ness,
R. G. Lynch and A. Mathur

P. J. Doherty, C. M. Roifman,
S. Pan, U. Cymerman, S. W. K. Ho,
E. Thompson, S. Kamel-Reid and
A. Cohen

P. J. Klasse, R. Pipkorn and
J. Blomberg

Yi-An Lu, P. Clavijo, M. Galantino,
Zhi-Yi Shen, Wen Liu and J. P. Tam

W. A. Hook, F. U. Zinsser,
E. H. Berenstein and R. P. Siraganian

J. M. Varga, G. Kalchschmid,
G. F. Klein and P. Fritsch

J. M. Varga, G. Kalchschmid,
G. F. Klein and P. Fritsch

R. Raeder, R. A. Otten and
M. D. P. Boyle

O. J. P. Léger and C. J. Dean

567 Binding of the human complement subcomponent
C1q to hybrid mouse monoclonal antibodies

577 Purification and biochemical characterization of an
invertebrate interleukin 1

585 Single cell analysis of free cytosolic calcium changes
in human lung mast cells—II. The relationship be-
tween desensitization and the cellular regulation of
calcium changes

599 Enhancer mediated suppression of epsilon heavy-
chain gene expression in a murine IgE-producing
hybridoma

607 Expression of the human T cell receptor V β repertoire

613 A cluster of continuous antigenic structures in the
transmembrane protein of HIV-1: individual patterns
of reactivity in human sera

623 Chemically unambiguous peptide immunogen: prep-
aration, orientation and antigenicity of purified pep-
tide conjugated to the multiple antigen peptide system

631 Monoclonal antibodies defining epitopes on human
IgE

641 Mechanism of allergic cross-reactions—I. Multi-
specific binding of ligands to a mouse monoclonal
anti-DNP IgE antibody

655 Mechanism of allergic cross-reactions—II. Cross-
stimulation, by chemically unrelated ligands, of rat
basophilic leukemia cells sensitized with an anti-DNP
IgE antibody

661 Isolation and partial characterization of a type IV
bacterial immunoglobulin binding protein

673 Isolation and characterization of a monoclonal
rheumatoid factor specific for the hinge region of rat
IgG2b

681 *Book Reviews*

683 *Corrigendum*

685 *Announcement*

JULY

- | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| E. A. Weiss, P. W. Tucker,
F. D. Finkelman and D. Yuan | 687 Analysis of immunoglobulin heavy chain δ transcription termination in the production of δ S or δ M mRNA |
| G. M. Pfaffenbach, H. Uehara,
J. Geliebter, S. G. Nathenson
and D. H. Schulze | 697 Analysis of the H-2K ^{bmb} mutant: correlation of structure with function |
| M. Chakraborty, C. Mandal
and C. Mandal | 703 Epitope analysis of the oncofetal antigen alphafeto-protein using monoclonal antibodies |
| C. D. Barro, C. L. Villiers
and M. G. Colomb | 711 Covalent binding of non-proteolysed C3 to Jurkat T cells |
| M. Sällberg, U. Rudén, B. Wahren,
M. Noah and L. O. Magnus | 719 Human and murine B-cells recognize the HBeAg/beta (or HBe2) epitope as a linear determinant |
| W. R. Griswold and R. R. Chalquest | 727 Theoretical analysis of the accuracy of calibrated immunoassays for measuring antibody concentration |
| B. M. Nilsen, A. Grimsøen
and B. Smestad Paulsen | 733 Identification and characterization of important allergens from mugwort pollen by IEF, SDS-PAGE and immunoblotting |
| E. Depla, J. Louwagie and M. De Ley | 743 Anti-idiotypic and anti-anti-idiotypic antibodies as highly specific tools in epitope and active site studies on human interferon- γ |
| M. Milili, M. Fougereau,
P. Guglielmi and C. Schiff | 753 Early occurrence of immunoglobulin isotype switching in human fetal liver |
| S. Muller, M. L. Chaix, J. P. Briand
and M. H. V. Van Regenmortel | 763 Immunogenicity of free histones and of histones complexed with RNA |
| S.-V. Kaveri, R. Halpern,
Chang-Yuil Kang and H. Köhler | 773 Antibodies of different specificities are self-binding: implication for antibody diversity |
| D. P. Snider, I. K. Uppenkamp,
J. A. Titus and D. M. Segal | 779 Processing fate of protein antigen attached to IgD or MHC molecules on normal B lymphocytes using heterocrosslinked bispecific antibodies |
| A. J. T. George, R. C. Foreman
and F. K. Stevenson | 789 Characterisation of a light chain loss variant of the BCL ₁ lymphoma |
| | 801 <i>Book Reviews</i> |

AUGUST

- | | |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| J. C. Padadimitriou, D. F. Carney
and M. L. Shin | 803 Inhibitors of membrane lipid metabolism enhance complement-mediated nucleated cell killing through distinct mechanisms |
| H. Su and R. J. Boackle | 811 Interaction of the envelope glycoprotein of human immunodeficiency virus with C1q and fibronectin under conditions present in human saliva |
| L. L. Werner, J. V. Torres,
C. Y. Leung, H.-S. Kwang,
A. Malley and E. Benjamini | 819 Immunobiological properties of a recombinant simian retrovirus-1 envelope protein and a neutralizing monoclonal antibody directed against it |
| N. Auphan, C. Boyer, P. Andre,
P. Bongrand and
A.-M. Schmitt-Verhulst | 827 Biochemical and functional association between CD8 and H-2 at the surface of a T cell clone |
| J. Moscoso del Prado, L. Jimeno,
T. Obispo and J. Carreira | 839 Monoclonal antibodies against human IgE. Identification of an epitope sharing properties with the high-affinity receptor binding site |

Huan Tian, F. Imani and M. J. Soloski	845	Physical and molecular genetic analysis of Qa-2 antigen expression: multiple factors controlling cell surface levels
B. D. Wines and S. B. Easterbrook-Smith	855	The Fab/c fragment of IgG produced by cleavage at cyanocysteine residues
M. Kazemi and R. A. Finkelstein	865	Mapping epitopic regions of cholera toxin B-subunit protein
B. M. Lammers, K. D. Beaman and Y. B. Kim	877	Sequence analysis of porcine immunoglobulin light chain cDNAs
N. Harindranath, C. B. Alexander and R. G. Mage	881	Evolutionarily conserved organization and sequences of germline diversity and joining regions of the rabbit T-cell receptor β 2 chain
E. Trifilieff, M. C. Dubs and M. H. V. Van Regemortel	889	Antigenic cross-reactivity potential of synthetic peptides immobilized on polyethylene rods
M. Rohac, T. Birkner, I. Reimitzer, B. Bohle, R. Steiner, M. Breitenbach, D. Kraft, O. Scheiner, F. Gabl and H. Rumpold	897	The immunological relationship of epitopes on major tree pollen allergens
J. V. Torres, L. L. Werner, A. Malley and E. Benjamini	907	The induction of neutralizing antibodies by synthetic peptides of the envelope protein of type D simian retrovirus-1 (SRV-1)
D. B. Ring, R. Clark and A. Saxena	915	Identity of BCA200 and c-erbB-2 indicated by reactivity of monoclonal antibodies with recombinant c-erbB-2
	919	<i>Book Reviews</i>

SEPTEMBER

J.-F. Peyron, J.-F. Tanti, M. Limouse, D. Farahifar, P. Auberger and M. Fehlmann	921	Isolation and characterization of a T lymphocyte mutant defective in the protein kinase C signal transduction pathway
C. Wuilmart and J. Urbain	931	An additional hypervariable region encoded by V gene segments occurs in Tcr V β at a location compatible with its involvement in Tcr active site—a general model for alloreactivity
R. Rousseaux-Prevost, P. Hublau, P. Sautiere and J. Rousseaux	943	The immune response to synthetic peptides of human protamines HP1 and HP2
E. D. Ball, L. M. Schwarz and C. D. Bloomfield	951	Expression of the CD15 antigen on normal and leukemic myeloid cells: effects of neuraminidase and variable detection with a panel of monoclonal antibodies
R. Österberg, B. Malmensten, T. Boive, U. Nilsson, T. Stigbrand and K. Mortensen	959	Correlation between the human and porcine complement system: a small-angle scattering study of cross immunity and methylamine-induced conformational changes of porcine C3 and C4 proteins
A. R. Neurath, N. Strick, H. Kolbe, M.-P. Kieny, M. Girard and S. Jiang	965	Confronting the hypervariability of an immunodominant epitope eliciting virus neutralizing antibodies from the envelope glycoprotein of the human immunodeficiency virus type I (HIV-1)—II. Synthetic peptides linked to HIV-1 carrier proteins <i>gag</i> and <i>nef</i>
N. Sattayasai, S. Marzuki, G. L. McMullen, H. M. Geysen, T. J. Mason, A. R. Hibbs, M. Overall, P. J. Hertzog and A. W. Linnane	975	Subtype-specificity of antipeptide antibodies raised against unique sequences of human interferons- α
E. Hsu, I. Lefkovits, M. Flajnik and L. Du Pasquier	985	Light chain heterogeneity in the amphibian <i>Xenopus</i>

- D. J. Winzor, M. R. Bowles, P. R. Pentel, 995 Adaptation of the Müller method to allow quantitative
Deric D. Schoof and S. M. Pond characterization of the affinity and cross-reactivity of
antibodies by competitive radioimmunoassay
- G. Del Giudice, C. Tougne, L. Renia, 1003 Characterization of murine monoclonal antibodies
T. Ponnudurai, G. Corradin, A. Pessi, against a repetitive synthetic peptide from the circum-
A. S. Verdini, J. A. Louis, D. Mazier sporozoite protein of the human malaria parasite
and P.-H. Lambert *Plasmodium falciparum*
- D. M. Ojcius, S. Jiang, 1011 Cytoplasts from cytotoxic T lymphocytes are resistant
P. M. Persechini, P. A. Detmers to perforin-mediated lysis
and J. Ding-E Young
- D. T. Brandau, E. Q. Lawson, 1019 The interaction of cryoimmunoglobulins with a model
C. F. Schubert, N. K. Day, surface
K. Matsuno and C. R. Middaugh
- H. R. Hoogenboom, G. Volckaert 1027 Construction and expression of antibody-tumor
and J. C.-M. Raus necrosis factor fusion proteins
- M. Higuchi, N. Higashi, Y. Nishimura, 1039 TNF-mediated cytotoxicity. Importance of intra-
S. Toyoshima and T. Osawa cellular cGMP level for determining TNF-sensitivity
- 1045 *Announcement*

OCTOBER

- P. A. O'Hern 1047 Immunogenicity of peptides having pre-determined
alpha-helical and alpha-alpha fold topologies
- M. Eliasson, R. Andersson, 1055 Structural and functional analysis of the human IgG-
P.-Å. Nygren and M. Uhlén Fab receptor activity of streptococcal protein G
- J. Sawada, S. Mizusawa, T. Terao, 1063 Molecular characterization of monoclonal anti-steroid
M. Naito and Y. Kurosawa antibodies: primary structures of the variable regions
of seven antibodies specific for 17 α -hydroxypro-
gesterone or 11-deoxycortisol and their pH-reactivity
profiles
- P.-M. Yang, J. J. Crowley, 1073 Genetic studies of four highly homologous rheuma-
D. O. McDaniel, W. J. Koopman, toid factor-associated Vk genes in rheumatoid arthritis
F. Kozin, D. A. Carson and P. P. Chen patients and normal individuals
- T. Hida, T. Yamashita and J. Koyama 1085 Different behaviour of two distinct types of Fc γ recep-
tor on guinea-pig peritoneal macrophages during
phagocytosis of soluble immune complexes: identifi-
cation of an intracellular pool for one of the receptors
- C. Vermot-Desroches, D. Rigal 1095 Dextran sulfate specifically interacts with the human
and J. Bernaud LFA-1 molecule (Leucocyte Function Associated
Antigen-1)
- Y. K. Sykulev, T. V. Yeronina, 1105 Galactose-containing epitopes on the surface of IgG
V. A. Aleshkin and K. K. Ostreiko model immune complexes are accessible for specific
binding with the high molecular weight ligand,
Ricin Agglutinin, in solution—light-scattering
studies
- T. J. Dougherty, H. Gewurz and 1113 Preferential binding and aggregation of rabbit C-
J. N. Siegel reactive protein with arginine-rich proteins
- T. Yoshida, N. Takahashi and 1121 Cell type and maturation stage-dependent poly-
I. Nakashima morphism of N-linked oligosaccharides on murine
lymphocytes and lymphoma cells
- B. T. Bosworth, T. St John, 1131 Sequence of the bovine CD44 cDNA: comparison
W. M. Gallatin and J. A. Harp with human and mouse sequences
- T. Seya, M. Okada, M. Matsumoto, 1137 Preferential inactivation of the C5 convertase of the
K. Hong, T. Kinoshita and alternative complement pathway by factor I and
J. P. Atkinson membrane cofactor protein (MCP)

- A. D. Keegan, C. Fratazzi, B. Shopes, B. Baird and D. H. Conrad 1149 Characterization of new rat anti-mouse IgE monoclonals and their use along with chimeric IgE to further define the site that interacts with Fc ϵ R1I and Fc ϵ RI

NOVEMBER

- T. Shimamura, S. Taki, H. Honda, M. Yokota, S. Ito and Y. Takahara 1155 Analysis of interleukin 6 (IL-6)/IL-6 receptor system using monoclonal anti-IL-6 antibodies
- C. Pique, Y. Mahé, C. Scamps, C. Tétaud, T. Tursz and J. Wiels 1163 Analysis of phenotypic and functional changes during ganglioside-induced inhibition of human T cell proliferation
- S. Lederman, J. A. DeMartino, B. L. Daugherty, I. Foeldvari, M. J. Yellin, A. M. Cleary, N. Berkowitz, I. Lowy, N. S. Braunstein, G. E. Mark and L. Chess 1171 A single amino acid substitution in a common African allele of the CD4 molecule ablates binding of the monoclonal antibody, OKT4
- J. Wijdenes, C. Clement, B. Klein, B. Morel-Fourrier, N. Vita, P. Ferrara and A. Peters 1183 Human recombinant dimeric IL-6 binds to its receptor as detected by anti-IL-6 monoclonal antibodies
- A. F. M. Verheul, J. T. Poolman, H. Snippe and J. Verhoef 1193 The influence of the adjuvant Quil A on the epitope specificity of meningococcal lipopolysaccharide anti-carbohydrate antibodies
- U. Conrad, K. Becker, M. Ziegner and G. Walter 1201 Immunoglobulin VH and VK genes of the BALB/c anti-foot-and-mouth disease virus (O1) VP1 response: cloning, characterization and transgenic mice
- K. Matsuda, S. Ishiura, H. Koizumi, H. Kawasaki, K. Arahata and H. Sugita 1211 Apolipoprotein B is a major perforin inhibitor protein in human serum
- J. L. Press, C. A. Giorgetti and W. F. Busby III 1217 A new germline VH36-60 gene is used in the neonatal primary and adult memory response to (T,G)-A--L
- W. van't Hof, P. C. Driedijk, M. van den Berg, A. G. Beck-Sickinger, G. Jung and R. C. Aalberse 1225 Epitope mapping of the *Dermatophagoides pteronyssinus* house dust mite major allergen Der p II using overlapping synthetic peptides
- R. Yamasaki, W. Nasholds, H. Schneider and M. A. Apicella 1233 Epitope expression and partial structural characterization of F62 lipooligosaccharide (LOS) of *Neisseria gonorrhoeae*: IgM monoclonal antibodies (3F11 and 1-1-M) recognize non-reducing termini of the LOS components
- J. Greenman, A. L. Tutt, A. J. T. George, K. A. F. Pulford, G. T. Stevenson and M. J. Glennie 1243 Characterization of a new monoclonal anti-Fc γ RII antibody, AT10, and its incorporation into a bispecific F(ab') $_2$ derivative for recruitment of cytotoxic effectors
- D. R. Kaplan 1255 Solid phase interleukin 2
- A. E. Kuta, C. L. Bashford, C. A. Pasternak, C. W. Reynolds and P. A. Henkart 1263 Characterization of non-lytic cytolysin-membrane intermediates
- C. Sánchez and J. Domínguez 1271 Trout immunoglobulin populations differing in light chains revealed by monoclonal antibodies
- H. Ipsen and O. C. Hansen 1279 The NH $_2$ -terminal amino acid sequence of the immunochemically partial identical major allergens of alder (*Alnus glutinosa*) *Aln g* I, birch (*Betula verrucosa*) *Bet v* I, hornbeam (*Carpinus betulus*) *Car b* I and oak (*Quercus alba*) *Que a* I pollens

- | | | |
|----------------------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------|
| P. Kontsek, L. Borecky,
E. Kontsekova, I. Macikova,
A. Kolcunova, M. Novak and
V. Krchnak | 1289 | Mapping of two immunodominant structures on human interferon alpha 2c and their role in binding to cells |
| G. P. Einhorn, L. Qin and
M. J. Soloski | 1299 | Biosynthesis of glycopospholipid bound and secreted murine class I Qa-2 polypeptides |
| V. B. Pinto and J. S. Peacock | 1311 | Anti-Ig inactivation of the CH31 lymphoma model for immature B cell inhibits its ability to process pigeon cytochrome c |

DECEMBER

**Commemorative Issue for the 100th Anniversary
of the Discovery of Antibodies (1890-1990)**

Guest Editor: Roald S. Nezlin

Contents

- | | | |
|----------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------|
| M. Fougereau | 1315 | Introduction |
| | 1317 | Emil von Behring (1854-1917) and Shibasaburo Kitasato (1853-1931) |
| E. von Behring und S. Kitasato | 1319 | Ueber das Zustandekommen der Diphtherie-Immunität und der Tetanus-Immunität bei Thieren |
| P. Gronski, F. R. Seiler and
H. G. Schwick | 1321 | Discovery of antitoxins and development of antibody preparations for clinical uses from 1890 to 1990 |
| K. Furukawa and A. Kobata | 1333 | IgG galactosylation—its biological significance and pathology |
| R. J. Poljak | 1341 | Structure of antibodies and their complexes with antigens |
| V. N. Schumaker, M. L. Phillips
and D. C. Hanson | 1347 | Dynamic aspects of antibody structure |
| I. Sandlie and T. E. Michaelsen | 1361 | Engineering monoclonal antibodies to determine the structural requirements for complement activation and complement mediated lysis |
| P. M. Rudd, R. J. Leatherbarrow,
T. W. Rademacher and R. A. Dwek | 1369 | Diversification of the IgG molecule by oligo-saccharides |
| D. Givol | 1379 | The minimal antigen-binding fragment of antibodies—Fv fragment |
| D. Wang, J. Liao, D. Mitra,
P. N. Akolkar, F. Gruezo and
E. A. Kabat | 1387 | The repertoire of antibodies to a single antigenic determinant |
| B. D. Stollar | 1399 | Autoantibodies and autoantigens: a conserved system that may shape a primary immunoglobulin gene pool |